

3369  
4069 LE SERIES

## JLG's New Generation of Electrics

[www.jlg.com/le](http://www.jlg.com/le)



### More Models, More Choices and More Versatility with JLG... WHY GO ANYWHERE ELSE?

JLG's **QuikCharge GenSet** option provides automatic charging for continuous machine operation.

**ATC (Automatic Traction Control)** adds to the versatility by sensing and providing full-time positive traction on uneven surfaces.

**Oscillating axle** enhances operator comfort and ability to traverse uneven surfaces.

Optional **All-Wheel Drive** provides superior performance in off-slab conditions.

Optional **Leveling Jacks** increase machine utility.

5'9" width, **zero emissions** and **quiet** operation combined with new generation features makes the LE Series the best **indoor/outdoor** scissor lift for any job site.

### Versatile Electric Scissor Lifts You Can Take Almost Anywhere!

*Double the duty cycles of competitive electric scissor lifts.*

More productivity from an electric scissor lift is the best reason to check out JLG's NEW Large Electric Series of scissor lifts—the 3369LE and the 4069LE models.

The LE Series offers an array of features unmatched by other electric powered scissor lifts.

With standard all-terrain tires, full-time ATC-JLG Automatic Traction Control system, and

standard oscillating axle, JLG provides superior off-slab performance in an electric scissor lift.

Equip your model with the JLG QuikCharge GenSet option and you will have uninterrupted machine operation to complete the job. The optional All-Wheel Drive feature will conquer job site conditions unheard of for electric scissor lifts.

Order an LE Series Scissor Lift today... and see the JLG difference!



**JLG**®

# Generation E by JLG...See and Feel the Difference!


The new generation of electric powered scissor lifts from JLG offers machines with platform heights of 33 ft and 40 ft.

JLG's 31 years of design and manufacturing experience is evident in the new generation of machines with more features designed to increase productivity, decrease

owning and operating costs, and provide more "up-time" for the job.

Options such as onboard **QuikCharge GenSet**, **All-Wheel Drive**, and **Leveling Jacks** set this new generation of electric scissor lifts above the rest.

## JLG MODEL 3369LE



### DIMENSIONAL DATA

A. Platform Height - Elevated	33 ft (10.06 m)
B. Platform Height - Stowed	5 ft 6.5 in (1.69 m)
C. Platform Railing Height	3 ft 7.5 in (1.10 m)
D. Overall Height (Rails Up)	9 ft 2.5 in (2.81 m)
E. Platform Size	65 x 115 in (1.65 x 2.92 m)
F. Platform Extension	3 ft (.91 m)
G. Overall Width	5 ft 9 in (1.75 m)
H. Overall Length	10 ft 2 in (3.1 m)
I. Wheelbase	7 ft 6.5 in (2.3 m)
J. Ground Clearance	8 in (20 cm)
Platform Capacity	1,000 lb (450 kg)
Capacity on Platform Extension	250 lb (113 kg)
Lift/Lower Time	38/42 sec.
Maximum Drive Height	Full Height
Gross Vehicle Weight*	9,760 lb (4,427 kg)

### CHASSIS


Drive Speed (Lowered)	3.0 mph (4.8 kph)
(Elevated)	0.4 mph (.64 kph)
Gradeability	35%
Turning Radius (Inside)	90 in (2.3 m)
Tire Size/Type	240/55-17.5 Non-Marking
Brakes	Spring Applied Hydraulically Released Discs

### POWER SOURCE

Batteries	8 x 6v 370 amp-hr
Charger	23 amp, Automatic SCR Charger
Electric Pump Motor	Series Wound
Drive Motors	Two 5.5 hp Shunt Wound
Pump	Single Section Gear Pump
Hydraulic Reservoir	8.5 gal (32.18 L)
Generator Set (M3369)	Fully Automatic, 45 amp Yanmar 6 hp Air-Cooled Engine
Engine Fuel Tank (M3369)	4 gal (15.2 L)

\*Certain options or country standards will increase weight.

## JLG MODEL 4069LE



### DIMENSIONAL DATA

A. Platform Height - Elevated	40 ft (12.19 m)
B. Platform Height - Stowed	6 ft 7.5 in (2 m)
C. Platform Railing Height	3 ft 7.5 in (1.10 m)
D. Overall Height (Rails Up)	9 ft 2.5 in (2.81 m)
E. Platform Size	65 x 115 in (1.65 x 2.92 m)
F. Platform Extension	3 ft (.91 m)
G. Overall Width	5 ft 9 in (1.75 m)
H. Overall Length	10 ft 2 in (3.1 m)
I. Wheelbase	7 ft 6.5 in (2.3 m)
J. Ground Clearance	8 in (20 cm)
Platform Capacity	800 lb (360 kg)
Capacity on Platform Extension	250 lb (113 kg)
Lift/Lower Time	54/50 sec.
Maximum Drive Height	30 ft (9.14 m)
Gross Vehicle Weight*	10,720 lb (4,863 kg)

### CHASSIS

Drive Speed (Lowered)	3.0 mph (4.8 kph)
(Elevated)	0.4 mph (.64 kph)
Gradeability	35%
Turning Radius (Inside)	90 in (2.3 m)
Tire Size/Type	240/55-17.5 Non-Marking
Brakes	Spring Applied Hydraulically Released Discs

### POWER SOURCE

Batteries	8 x 6v 370 amp-hr
Charger	23 amp, Automatic SCR Charger
Electric Pump Motor	Series Wound
Drive Motors	Two 5.5 hp Shunt Wound
Pump	Single Section Gear Pump
Hydraulic Reservoir	8.5 gal (32.18 L)
Generator Set (M4069)	Fully Automatic, 45 amp Yanmar 6 hp Air-Cooled Engine
Engine Fuel Tank (M4069)	4 gal (15.2 L)

\*Certain options or country standards will increase weight.

## THE JLG 1 & 5 WARRANTY

JLG Industries, Inc. backs our products with our exclusive "1 & 5" Warranty. We provide coverage on all products for one (1) full year, and cover all specified major structural components for five (5) full years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. This machine meets or exceeds applicable OSHA Regulations in 29 CFR 1910.67, 29 CFR 1926.453, and A92.6-1999, as originally manufactured for intended applications.

FORM NO: SS-LE 1200-110M  
PART NO: 3131502 Printed in the USA  
R01011

[www.jlg.com/le](http://www.jlg.com/le)

## JLG Industries, Inc.

1 JLG Drive, McConnellsburg, PA 17233-9553  
Telephone 717-485-5161  
Toll free in US 877-JLG-LIFT  
Fax 717-485-6417

